


VERSO[®]



CIRCUIT PROTECTION



**A brand for
a company
is like a
reputation
for a person.
You earn
reputation by
trying to do
hard things
well.**

RELENTLESS APPROACH TO EXCELLENCE



“OUR MISSION IS SIMPLE, IF IT CAN BE DONE BETTER THEN WE WILL. IF IT CAN’T, WE ASK WHY AND PUSH BOUNDARIES TO CONTINUE TO IMPROVE”

WILLIAM WINTER (FOUNDER OF THE VERSO® BRAND)

WHY CHOOSE VERSO®

THE POWER OF PROTECTION

At Verso® we take our role in keeping peoples homes safe exceptionally personal.

For years circuit protection has been an after thought, and it has taken a brand like ours to bring to light such things as RCD saturation with campaigns like our #SayNoToAC. This is accompanied with quality standards being pushed to incredible heights.

Such as our devices being individually tested three separate times prior to leaving our factory floor, to ensure that quality has no compromise with the entire Verso® product range.

Our commitment is to the industry, and providing a service above just product quality. This is why we also focus on providing training and technical knowledge across our digital platforms as well.

Thank you for your continued support

William Winter



VERSO[®]

CONSUMER UNITS



WITH 4 NEW SIZES

T2 SPD CONSUMER UNITS

BS EN 61439-3

100A MAIN SWITCH INCOMER

PART NO.	USEABLE WAYS	BP COMPATIBLE	DIMENSIONS
VCP6MX	4	NO	265MM (H) X 104MM (D) X 212MM (W)
VCP8MX	6	NO	265MM (H) X 104MM (D) X 248MM (W)
VCP12MX	10	YES	265MM (H) X 104MM (D) X 320MM (W)
VCP14MX	12	NO	265MM (H) X 104MM (D) X 356MM (W)
VCP16MX	14	YES	265MM (H) X 104MM (D) X 392MM (W)
VCP20MX	18	YES	265MM (H) X 104MM (D) X 464MM (W)
VCP28MX	26	NO	525MM (H) X 104MM (D) X 356MM (W)

*BP (BACKING PLATE PAGE 6)

100A 30MA TYPE A DUAL RCD

PART NO.	USEABLE WAYS	BP COMPATIBLE	DIMENSIONS
VCP10HIX	8	NO	265MM (H) X 104MM (D) X 356MM (W)
VCP12HIX	10	YES	265MM (H) X 104MM (D) X 392MM (W)
VCP16HIX	14	YES	265MM (H) X 104MM (D) X 464MM (W)

*BP (BACKING PLATE PAGE 6)



**ALL VERSO® TYPE 2 SPD'S
ARE HYBRID UNITS.
THIS GIVES YOU THE
ULTIMATE LEVEL OF SURGE
PROTECTION FROM BOTH A
GDT AND MOV SYSTEM IN A
SINGLE UNIT**

VERSO®

CONSUMER UNITS

BS EN 61439-3

100A MAIN SWITCH INCOMER

PART NO.	USEABLE WAYS	BP COMPATIBLE	DIMENSIONS
VCP6M	6	NO	265MM (H) X 104MM (D) X 212MM (W)
VCP8M	8	NO	265MM (H) X 104MM (D) X 248MM (W)
VCP12M	12	YES	265MM (H) X 104MM (D) X 320MM (W)
VCP14M	14	NO	265MM (H) X 104MM (D) X 356MM (W)
VCP16M	16	YES	265MM (H) X 104MM (D) X 392MM (W)
VCP20M	20	YES	265MM (H) X 104MM (D) X 464MM (W)

RCCB INCOMER

PART NO.	USEABLE WAYS	POPULATED	DIMENSIONS
VCPGU	2	6A, 16A MCB 63A 30MA RCD	265MM (H) X 104MM (D) X 140MM (W)

METAL ENCLOSURE

PART NO.	USABLE WAYS	POPULATED	DIMENSIONS
VCP4	4	NEUTRAL CONDUCTOR	265MM (H) X 104MM (D) X 140MM (W)
VCP10	10	NEUTRAL CONDUCTOR	265MM (H) X 104MM (D) X 248MM (W)
VCP14	14	NEUTRAL CONDUCTOR	265MM (H) X 104MM (D) X 320MM (W)

CONSUMER UNIT BACKING PLATES

PART NO.	DIMENSIONS
VCP14BP	14 MODULE CONSUMER UNIT BACKING PLATE
VCP18BP	18 MODULE CONSUMER UNIT BACKING PLATE
VCP22BP	22 MODULE CONSUMER UNIT BACKING PLATE





VCP132B



VCP132C

VERSO® MCB

AC DEVICES
6A TO 63A
B AND C CURVE
SINGLE POLE



VCP116BR-T



VCP116CR-T

VERSO® RCBO

SINGLE POLE & SOLID NEUTRAL
TYPE A
B AND C CURVE
UP TO 50A



VCP106BR



VCP106CR

VERSO® COMPACT RCBO

SWITCHES ALL LIVE CIRCUITS
TYPE A
B AND C CURVE
UP TO 40A

MCB 6KA 1P

BS EN 60898-1

CURRENT	B CURVE	C CURVE
6	VCP106B	VCP106C
10	VCP110B	VCP110C
16	VCP116B	VCP116C
20	VCP120B	VCP120C
25	VCP125B	VCP125C
32	VCP132B	VCP132C
40	VCP140B	VCP140C
50	VCP150B	VCP150C
63	VCP163B	VCP163C

RCBO 6KA 1P

BS EN 61009-1

CURRENT	B CURVE	C CURVE
6	VCP106BR-T	VCP106CR-T
10	VCP110BR-T	VCP110CR-T
16	VCP116BR-T	VCP116CR-T
20	VCP120BR-T	VCP120CR-T
25	VCP125BR-T	VCP125CR-T
32	VCP132BR-T	VCP132CR-T
40	VCP140BR-T	VCP140CR-T
50	VCP150BR-T	VCP150CR-T

RCBO 6KA 2P

BS EN 61009-1

CURRENT	B CURVE	C CURVE
6	VCP106BR	VCP106CR
10	VCP110BR	VCP110CR
16	VCP116BR	VCP116CR
20	VCP120BR	VCP120CR
25	VCP125BR	VCP125CR
32	VCP132BR	VCP132CR
40	VCP140BR	VCP140CR

VERSO®

VERSO®

T2 HYBRID SPD

BS EN 61643-31

PART NO.	DESCRIPTION	MODULE
VCP1S2	T2 HYBRID SPD	1
VCPS2K	T2 HYBRID SPD KIT	2



VCPS2K

VERSO® T2 SPD KIT
COMPLETE WITH CONDUCTORS
HYBRID T2 SPD
32A B CURVE MCB
TN, TNC-S, TNC & TT SYSTEMS

DP RCCB

BS EN 61008-1

CURRENT	TYPE A	TYPE B
40A 30MA	VCP403R	
63A 30MA	VCP633R	VCP633RB
80A 30MA	VCP803R	
100A 30MA	VCP1003R	
VCP100 100MA	VCP1001R	
(TIME DELAY)	VCP1001RT	



VCP1003R



VCP633RB

VERSO® RCCB

TYPE A AND B AVAILABLE
40A - 100A TYPE A
30MA - 100MA TYPE A
TIME DELAY OPTIONS

AFDD/RCBO 6KA 2P

BS EN 62606

CURRENT	B CURVE	C CURVE
6	V106A	
10	V110A	
16	V116A	V116C
20	V120A	V120C
32	V132A	V132C
40	V140A	
50	V150A	



V132A

VERSO® AFDD
SWITCHES ALL LIVE
CIRCUITS
TYPE A
UP TO 50A



VCP100AMS

VERSO® RCCB
DOUBLE POLE
TYPE AC
100A
BS EN 60947-3

ISOLATOR

BS EN 600947-3

PART NO.	DESCRIPTION	MODULE
VCP100AMS	100A DP AC ISOLATOR	2



VSF80



VSF100M

VERSO® SWITCH FUSES

80, 100A

SHROUD INCLUDED (VSF80)

FUSES INCLUDED

TN, TNC-S, TNC & TT SYSTEMS



VCP20ADPC

VERSO® CONTACTOR

DOUBLE POLE

20A - 40A

1 & 2 MODULES



V2MBT

VERSO® TRANSFORMER

8, 12, 24V

50HZ

BS EN 61558-2-8



VTS16A

VERSO® TIMER

SWITCH

16 + 30A

DIN RAIL MOUNTED

2 MODULE



VCPBLANK

VERSO® RCCB

DIN RAIL BLANK

FULL BLANK

DOUBLE CLIP

BUSBAR COVERED

SWITCH FUSE

BS EN 61439-3

CURRENT	PLASTIC	METAL
80	VSF80	
100		VSF100M

CONTACTOR

BS EN 61095

CURRENT	PART NO.	MODULES
20	VCP20ADP	1
25	VCP25ADP	1
40	VCP40ADP	2

TIMERS

EN 60669

CURRENT	PART NO.	MODULES
16	VTS16A	2
30	VTS30A	2

TRANSFORMER

BS EN 61558-2-8

CURRENT	PART NO.	MODULES
230V	V2MBT	2

DIN RAIL BLANK

CURRENT	PART NO.	MODULES
0	VCPBLANK	1

VERSO®

MORE THAN JUST A SWITCHED SOCKET



**FAST
CHARGE
TYPE C**

**IN-LINE
TERMINALS**



IN-LINE TERMINALS
MAKE INSTALLING
AN FCU A DELIGHT.
WITH EACH OF THE
CONDUCTORS BEING
EASIER TO SIGHT
INTO THE BOX.

- 10A 250V AC50HZ
- ANTI MICROBIAL
- FLEX OUTLET AVAILABLE
- NEON AVAILABLE
- SWITCHED AND UNSWITCHED
- BS-1363-4

www.versoelectrical.co.uk
sales@versoelectrical.co.uk
Follow us on Social Media for latest info.




PART M

WITH A GROWING
DEMAND FOR PART-M
PRODUCTS, VERSO
BOAST ONE OF THE
LARGEST RANGES IN
THE UK



LASER PRINT

LASER PRINTING
ENSURES DURABILITY
AND A QUALITY FINISH ON
ALL OF OUR PRODUCTS
WHERE REQUIRED



MODULAR

OUR MSS SWITCHES
ENSURE THAT WITH THE
17 AVAILABLE MODULES,
YOU WILL HAVE THE
RIGHT SOLUTION FOR
EVERY JOB



PRIMO GRID

OUR PRIMO GRID ALLOWS
YOU TO CUSTOMISE A
20AX SWITCH SOLUTION
FOR ANY KITCHEN
APPLIANCE ISOLATION
REQUIREMENT

#MyInstall

REWARDS PROGRAM

Register online



Earn MI points for every £ you spend
(£1 = 1 MI point)



Claim your exclusive #MyInstall
rewards & prizes




Register at:



VERSO®

CIRCUIT PROTECTION



VERSO[®]

www.versoelectrical.co.uk
sales@versoelectrical.co.uk



Follow us on Social Media for latest info.